Road Weight and Size limitations: By State

TRUCK SIZE AND WEIGHT, ROUTE DESIGNATIONS -- LENGTH, WIDTH AND WEIGHT LIMITATIONS

	Maximu													20' (with				
	Cont.	20'	40'	40'	45'	40'	40'	Std	HC	0	0	Flat	Flat	40 Rear Slider) Rear	Maximum			
State	(Ft. &	Stee	Alu	Alu	Alu	Stee	Ste	Alu	Alu	top,	top,	Rack	Plat,	ee Dri Ax Gr ee Dri Ax os	Legal Gross	Weight	Pormit Cost	Comments
State	111.)	38.2			43.5	43.9	43.6	42.4	40.8	43.90	43.20	38.80	44.20		weight	w/Perinit	Permit Cost	comments
Alabama	53-6	00			00	00	00	00	00	0	0	0	0	Reference Bridge Law Formula	80,000	100,000	\$15	
Alaska	48-0	38,2 00			43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	Variable		per dot and bridge
Arizona	57-6	38,2 00			43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	43,00 0		80,000	Will not Permit if cargo is divisible		see [11] below
Arkansas	53-6	38,2 00			43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	Will not Permit		permit within a county
California	48-0 *	38,2 00			43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	43,00 0		80,000	Will not Permit if cargo is divisible		see [11] below
Colorado	57-4	38,2 00			43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000		\$15. + \$5./axle	
Connecticu t	48-0	38,2 00			43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	Will not Permit		n/a
Delaware	53-0	38,2 00			43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	90,000		see [1] below
District of Columbia	48-0	38,2 00			43,4 00	39,5 00	39,2 00	38,0 00	36,4 00	39,50 0	38,80 0	34,40 0	39,80 0	Reference Bridge Law Formula	80,000	Will not Permit		n/a
Florida	48-0	38,2 00			43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	95,000	\$0.27/mile	
Georgia	48-0	38,2 00			43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	100,000	\$20	\$20
Hawaii	48-0	38,2 00			43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	Will not Permit		n/a
Idaho	48-0	38,2 00			43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0		80,000	Will not Permit if cargo is divisible		see [11] below
Illinois	53-0	38,2 00			38,7 00	40,5 00	40,2 00	39,1 00	37,5 00	40,50 0	39,80 0	35,40 0	40,80 0	Reference Bridge Law Formula	80,000	Will not Permit if cargo is divisible		see [2,11] below
Indiana	48-6 **	38,2 00			43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	Will not Permit		n/a
Iowa	53-0	38,2 00			43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	Will not Permit		n/a

Kansas	57-6	38,2 00	43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	Will not Permit		n/a
Kentucky	53-0	38,2 00	43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	Will not Permit		n/a
Louisiana	59-6	38,2 00	43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	100,000	\$65-\$85 +admin fee	
Maine	48-0	38,2 00	43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	Will not Permit		n/a
Maryland	48-0	38,2 00	43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	90,000		see [4] below
Massachus etts	48-0	38,2 00	43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	Will not Permit		n/a
Michigan	48-0	38,2 00	43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	Will not Permit		n/a
Minnesota	48-0	38,2 00	43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000			see [5] below
Mississippi	53-0	38,2 00	43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	95,000	\$10. + \$5./1Klbs over	
Missouri	53-0	37,6 00	43,4 00	37,4 00	37,1 00	35,9 00	34,3 00	37,40 0	36,70 0	32,30 0	37,70 0	Reference Bridge Law Formula	80,000	Will not Permit if cargo is divisible		see [11] below
Montana	53-0	38,2 00	43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0		80,000	Will not Permit if cargo is divisible		see [11] below
Nebraska	53-0	38,2 00	43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	80,000+	\$10	
Nevada	53-0	38,2 00	43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0		80,000	Will not Permit if cargo is divisible		see [11] below
New Hampshire	48-0	38,2 00	43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000			no set rule, per load base
New Jersey	48-0	38,2 00	43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	Will not Permit		n/a
New Mexico	57-6	38,2 00	43,4 00	43,2 00	42,9 00	41,7 00	40,1 00	43,20 0	42,50 0	38,10 0	43,50 0	Reference Bridge Law Formula	80,000	Will not Permit if cargo is divisible		see[11] below
New York	48-0	38,2 00	43,4 00	43,4 00	43,1 00	41,7 00	40,3 00	43,40 0	42,70 0	38,30 0	43,70 0	Reference Bridge Law Formula	80,000	Will not Permit		n/a
North Carolina	48-0	38,2 00	43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	94,500	\$10	
North Dakota	53-0	38,2 00	43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	Will not Permit if cargo is divisible		see[11]below
Ohio	53-0	38,2 00	43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000	Will not Permit		n/a
Oklahoma	59-6	38,2 00	43,5 00	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge Law Formula	80,000		\$20. + \$5./1Klbs over	

Oregon	53-0	38,2 00	4	3,5 0	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0					80,000	Will not Permit if cargo is divisible		see [11] below
Pennsylva nia	53-0	38,2 00	4	3,5 0	43,9 00	43,6 00	42,4	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge	Law	Form	nula	80,000	95,000	\$100.00 annually	
Puerto Rico	48-0	38,2 00	4	3,5 0	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge	Law	Form	nula	80,000	· · ·		
Rhode Island	48-6	38,2 00	4. 0	3,5 0	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge	Law	Form	nula	80,000	Will not Permit		n/a
South Carolina	48-0	38,2 00	4: 0	3,5 0	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge	Law	Form	nula	80,000	90,000	\$20	
South Dakota	53-0	38,2 00	4	3,5 0	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge	Law I	Form	nula	80,000			see [7] below
Tennessee	50-0	38,2 00	4 0	3,5 0	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge	Law I	Form	nula	80,000	90,000	\$16. + \$.05/1ton/m ile over	
Texas	59-0	38,2 00	4. 0	3,5 0	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge	Law	Form	nula	80,000			permit per county
Utah	48-0	38,2 00	4 0	3,5 0	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0					80,000	Will not Permit if cargo is divisible		see [11] below
Vermont	48-0	38,2 00	4. 0	3,5 0	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge	Law	Form	nula	80,000	90,000		see [8] below
Virginia	48-0	38,2 00	4. 0	3,5 0	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge	Law	Form	nula	80,000	90,000	no cost	
Washingto n	48-0	38,2 00	4 0	3,5 0	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0					80,000	Will not Permit if cargo is divisible		see [11] below
West Virginia	48-0	38,2 00	4 0	3,5 0	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge	Law	Form	nula	80,000	110,000		see [9] below
Wisconsin	48-0 ***	38,2 00	4: 0	3,5 0	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge	Law I	Form	nula	80,000	Will not Permit if cargo is divisible		see [10,11] below
Wyoming	57-4	38,2 00	4	3,5 0	43,9 00	43,6 00	42,4 00	40,8 00	43,90 0	43,20 0	38,80 0	44,20 0	Reference Bridge	Law	Form	nula	80,000	Will not Permit if cargo is divisible		see[11]

Maximum Length notes:

* Semitrailers up to 53 feet may operate without a permit by conforming to a kingpin-to-rearmost axle distance of 38 feet. Semitratilers that are consistent with 23 CFR 658.13(h) may operate without a permit provided the distance from the kingpin to the center of the rear axle is 46 feet or less.

Additional Weight Considerations (cont.):

40' reefer cargo weight should be between 39,000-40,000 cargo weight to stay under 80,000 lbs gross weight (tractor/tare weight/cargo weight)

In WA / OR / MT / ID - allow for use of super chassis/triaxle on 40' equipment at additional cost of \$130+ per load. Weights =

** Semitratilers up to 53 feet in length may operate without a permit by conforming to a kingpin-to-rearmost axle distance of 40 feet 6 inches. Semitrailers that are consistent with 23 CFR 658.13(h) may operate without a permit, provided the distance from the kingpin to the center of the rear axle is 46 feet or less.

*** Semitrailers up to 53 feet in length may operate without a permit by conforming to a kingpin-to-rearmost axles distance of 41 feet, measured to the center of the rear tandem assembly. Semitrailers that are consistent with 23 CFR 658.13(h) may operate without a permit provided the distance from the kingpin to the center of the rear axle is 46 feet or less.

[53 FR 2599, Jan. 29, 1988, as amended at 54 FR 1931, Jan. 18, 1989 and 62 FR 10181, March 5, 1997]

Maximum Weight notes:

[1] Delaware will permit 90,000 for state roads only, at \$200.00 per year.

[2] Illinois will permit on a sliding scale as follows:73,281 lbs - 80,000 lbs80,001 lbs - 88,000 lbs

[3] Louisiana may permit weight to 100,000 and permits on a sliding scale as follows:< 150 miles \$65

> 150 miles \$85

[4] Maryland overweight containers must pass through Baltimore to be given permit.

[5] Load specific

[7] South Dakota will permit on a sliding scale as follows: < 85,000 lbs

12,000; 34,000; 42,000; 88,000 Use of superchassis/triaxle will allow cargo weight in 40' reefers to go up to 47,000-48,000 lbs and still keep gross weight at 88,000 lbs. Special arrangements can be made for use of 4 axle chassis which would allow total gross weight to reach 96,000 (12,000; 42,000; 42,000) but equipment rental expense is considerably more than standard or tri axle. 20' laws in all states are governed by new bridge law weight which took effect in 1998. Distance between wheel base determines actual weight per axle and gross weight. As a general rule, cargo weight should not surpass 39,000 lbs with a total gross weight (tractor/tare weight/cargo weight) of 68,000 lbs. MAXIMUM BRIDGE LAWS (supercede all suggested weight laws!): It is possible to be considered overweight in one or all of the following ways: 1.Gross weight 2.Axle weight 3.Bridge formula

1. Gross Weight: Maximum allowable total gross weight for trucks on U.S. Interstates is 80,000 lbs, including tractor weight, chassis and container weight, cargo weight, etc. Off-interstate limits are typically lower. Please refer to to the American Trucking Association's "Summary of Size and Weight Limits". 2. Axle Weight: Allowable gross weight on a single or set of axles is regulated by individual states. States typically allow 34,000 lbs per tandem axle and 20,000 lbs per single axle. Please refer to the American Trucking Association's "Summary of Size and Weight Limits". Note : Over 50% of all U.S. citations issued are for axle weight violations, usually the result of uneven distribution of the load inside the container.

2. Bridge formula: This law sets maximum weights according to the distance between sets of axles. "Inner Bridge" measurement = distance between axle 2 and axle 5 "Outer Bridge" measurement = distance between axle 1 and axle 5(steering axle is axle 1, tractor drive axle is axle 2, etc.)

To determine Inner Bridge compliance, measure distance from center of wheel of axle 2 to center of wheel of axle 5. Refer to "Summary of Size and Weight Limits" appropriate bridge chart (formula) ex: 90,000 lbs @ 100 miles

[8] Vermont blanket permit for state roads only

[9] West Virginia will permit for loads originating or terminating in their state only. Cannot drive through.

[10] Wisconsin permits on the following scale: < 90,000 lbs 90,001 - 100,000 lbs ea 10,000 > 100,001 lbs

[11] This state does not provide overweight/over dimensional permits unless cargo is not able to be broken up (one solid unit), at which point, special arrangements have to be made with a specialized carrier. 80,000 is legal in AL, FL, GA, LA, MS, NC, SC, TN, VA; however, there may be issues with axle weights if not loaded correctly.

!!! If permits are ordered through an agency, there may be additional administrative costs added to the cost of the permit.

Additional Weight Considerations: As a general rule, gross weight (tractor/tare weight/cargo weight) for 40' equipment should be 80,000 lbs., with a cargo weight of 45,000 depending on tractor

(table A or B). Find appropriate distance, follow row to 4 axles column to find maximum gross weight for 4 axles.

To determine Outer Bridge compliance, measure distance from center of wheel of axle 1 to center of wheel of axle 5. Refer to "Summary of Size and Weight Limits" appropriate bridge chart (table A or B) Find appropriate distance, follow row to 5 axles column to find maximum gross weight for 5 axles. example: a) Outer bridge = 37 ft. b) Inner bridge = 22 ft. a) axle 1 weight = 10,900 lbs axles 2 & 3 weight = 27,620 lbs axles 4 & 5 weight = 27,500 lbs Max. weight, according to chart for 66,020 lbs 37 ft. on 5 axles = 66,500 lbs, load is OK b) axles 2 & 3 weight = 27,620 lbs axles 4 & 5 weight = 27,500 lbs Max. weight, according to chart for 55,120 lbs 22 ft. on 4 axles = 56,500 lbs, load is OK